



Application No.: 09/963,777
Applicant: Robert S. Kieval
Title: Electrode Designs and Methods of Use
for Cardiovascular Reflex Control Devices
Replacement Sheets

1/32

Fig. 1




Fig. 2A




Fig. 2B




Fig. 3




Fig. 4B




Fig. 4A




Fig. 5A






Fig. 5B








Fig. 8B







Fig. 8A





10/32

Fig. 10A




Fig. 10B




Fig. 11A




Fig. 11B




Fig. 12B




Fig. 12A




Fig. 13B




Fig. 13A




Fig. 14B




Fig. 14A




FIG. 1 is a schematic diagram of a person's head and neck in profile, facing right. A medical device 60 is positioned around the neck. The device includes a sensor 280 with a probe 282 and a cable 284. A label 286 points to the neck area.

Fig. 16B




Fig. 16A




Fig. 17B




Fig. 17A




Fig. 18A




Fig. 18B




Fig. 19A




Fig. 19B




Fig. 20A








Fig. 20B





22/32

Fig. 22.






Fig. 23




24/32

Fig. 24



25/32

Fig. 25






FIG. 22A




FIG. 22B




FIG. 22C




FIG. 22D

27/32

+




FIG. 22E




FIG. 22F




FIG. 23




FIG. 24

+




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30

